Application Serial No.: 09/528,356

Page 4, line 1, delete "in" and insert --at--.

Page 4, line 3, insert a comma after energy-saving.

Page 4, line 7, delete "format" and insert --formatting--.

Page 4, line 8, delete "format" and insert --formatting--.

Page 4, line 9, after "indicating" insert --the--.

Page 4, line 12, delete "førmat." and insert --formatting.--.

## Page 5, delete line 26, and insert

--Fig. 9a is a perspective view of a liquid crystal display mounted on a support;

Fig. 9b is a perspective view of a supported liquid crystal display being inserted into a recess in a memory card;

Fig. 9c is a perspective view of the memory card having the liquid crystal display inserted therein;--.

Page 6, line 24, delete "an" and insert --a--.

Page 8, line 12, delete "in" and insert  $--\alpha t$ --.

Page 8, line 26, after "16", insert --being--.

Page 9, line 22, delete "state," and insert --states, --.

Page 10, line 20, delete "voltage." and insert --voltage is discontinued.--.

Page 11, line 7, after set the" insert --other--.

Page 11, line 8, delete "come".

Page 12, line 13, before "repeatedly," insert -- lines--.

Application Serial No.: 09/528,356

- Page 12, line 23 delete "polyethilene" and insert polyethylene--.
- Page 13, line 3, delete n'in" and insert -- at--.
- Page 13, line 9, delete phenylcyclohexile and insert --phenylcyclohexyl--.
- Page 13, line 16, delete "heat" and insert/--heating--.
- Page 13, line 16, delete "cool," and insert --cooling, --.
- Page 19, line 9, delete "becomes" and insert --comes--.
- Page 19, line 16, after "72," insert/-and--.
- Page 19, line 16, delete "74," and insert --74;--.
- Page 19, line 21, delete "tip." and insert --chip.--.
- Page 20, line 6, after "equipment", delete "yis".
- Page 21, line 14, delete "As" and insert /-In--.
- Page 21, line 21, delete "demodulating" (both occurrences) and insert --light-adjusting-- (each occurrence).
- Page 21, line 25, insert a comma after "18)".
- Page 22, line 1, insert a comma after "position" (second occurrence only).
- Page 22, line 2, insert a comma after "M2".
- Page 22, line 2, insert a comma after "focusing".
- Page 22, line 10, insert a comma after "110".
- Page 22, line 11, insert a comma after "image".
- Page 22, line 14, insert a comma after "113".
- Page 22, line 15, insert a comma after "on".

Application Serial No.: 09/528,356

- Page 22, line 15, insert a comma after "114".
- Page 22, line 16, insert a comma after "card".
- Page 23, line 20, insert a comma after 136".
- Page 23, line 22, insert a comma after "other".
- Page 24, line 1, delete "30" and insert --301--.
- Page 24, line 20, delete "latera and insert --horizontal--.
- Page 25, line 3, delete "demodulating" and insert --light-adjusting--.
- Page 24 line 9, delete "memodulating" and insert --light-adjusting--.
- Page 25, line 22, delete "A/D/" and insert --A/D--.
- Page 26, line 23, delete "A/D/" and insert --A/D--.
- Page 27, line 5, delete VRAN and insert -- VRAM--.
- Page 27, line 15, delete demodulating and insert --light-adjusting--.
- Page 27, line 22, delete "half" and insert -- halfway--.
- Page 30, line 16, insert a comma after Fig. 9".
- Page 30, line 18, insert a comma after "type".
- Page 31, line 22, delete 80%60mm," and insert --80%60 pixels,--.
- Page 31, line 24, delete "frame" and insert --image--.
- Page 32, line 23, delete "S2," and insert --S2.--.
- Page 33, line 2, after "numbers" in ert --81--.
- Page 33, line 24, after "card," insert --and--.